



DATA POINTS (TYPICAL)

| Wavelength (nm) | Transmission (%) | Wavelength (nm) | Transmission (%) | Wavelength (nm) | Transmission (%) | Wavelength (nm) | Transmission (%) |
|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|
| 1100 | 0.75 | 910 | 0.65 | 720 | 9.64 | 530 | 93.89 |
| 1090 | 0.70 | 900 | 1.37 | 710 | 27.37 | 520 | 89.54 |
| 1080 | 0.75 | 890 | 4.95 | 700 | 64.76 | 510 | 93.94 |
| 1070 | 0.86 | 880 | 2.26 | 690 | 77.73 | 500 | 95.36 |
| 1060 | 0.90 | 870 | 0.29 | 680 | 91.50 | 490 | 95.31 |
| 1050 | 0.75 | 860 | 0.39 | 670 | 88.72 | 480 | 96.80 |
| 1040 | 0.47 | 850 | 0.59 | 660 | 95.40 | 470 | 95.64 |
| 1030 | 0.26 | 840 | 1.29 | 650 | 93.79 | 460 | 96.21 |
| 1020 | 0.14 | 830 | 1.34 | 640 | 94.54 | 450 | 95.87 |
| 1010 | 0.09 | 820 | 0.62 | 630 | 96.32 | 440 | 93.86 |
| 1000 | 0.08 | 810 | 0.46 | 620 | 96.23 | 430 | 93.78 |
| 990 | 0.09 | 800 | 0.63 | 610 | 94.92 | 420 | 89.96 |
| 980 | 0.11 | 790 | 1.35 | 600 | 95.20 | 410 | 83.73 |
| 970 | 0.23 | 780 | 1.69 | 590 | 93.50 | 400 | 41.08 |
| 960 | 0.50 | 770 | 1.17 | 580 | 95.21 | 390 | 2.00 |
| 950 | 1.12 | 760 | 1.18 | 570 | 96.26 | 380 | 0.09 |
| 940 | 0.78 | 750 | 2.33 | 560 | 96.48 | 370 | 0.01 |
| 930 | 0.33 | 740 | 5.90 | 550 | 96.53 | 360 | 0.00 |
| 920 | 0.25 | 730 | 7.43 | 540 | 95.97 | 350 | 0.00 |